PIJSSL

Praxis International Journal of Social Science and Literature

A Peer-reviewed Multidisciplinary e-Journal with SJIR 2025 = 6.034 & ISSN: 2581-6675

Vol. 09, No. 04 (April 2026) **DOI:** 10.51879/PIJSSL/090410

Email: editor.pijssl@gmail.com | **Website:** www.pijssl.com

OPEN ACCESS

Women, Lifestyle Rhythms and PCOS: The Emerging Role of Digital Health Technologies

Neha Shekhawat [1*], **Prof. Shilpa Rathore** [2]

[1] PhD Scholar, Bhupal Nobles' University, Udaipur, Rajasthan
Email: nehashekhawat1987@gmail.com

[2] Professor, Bhupal Nobles' University, Udaipur, Rajasthan
Email: profshilpa@bnuniversity.ac.in

Abstract

Polycystic Ovary Syndrome (PCOS) is a multilayered endocrinal condition and well-known reason for female infertility. This syndrome is also connected with generative and metabolic disfunction, and subsequently includes anovulation, infertility and increased risk of hypertension, impaired glucose tolerance, type 2 diabetes mellitus (T2DM), coronary artery disease, endometrial and even breast cancer. Various aspects as environment and inherent along with diet and routine is accountable for this syndrome. A suitable and precise diagnosis of PCOS is very vital as it has long-term health insinuations for women. Women looking for support from therapeutic facilities specialists to govern issues of obesity, acne, amenorrhea, hirsutism and infertility often receive a diagnosis of PCOS. Management of PCOS is as complex as the condition itself. Overall, management of PCOS includes pharmacological therapy with lifestyle modification program, while emphasising on behavioural management, healthy diet and regular physical activity f PCOS. Adaptation of digital technology facilitates precise management of this chronic condition.

Keywords: *Metabolic Syndrome, Polycystic Ovary Syndrome, lifestyle, diet, digital technology.*

Introduction

Communities, Countries and ultimately the world are only as strong as the health of women.

– Michelle Obama

Women play a central and multifaceted role in both family and society. Across cultures and generations, women have been the primary caregivers, nurturers, educators, and emotional anchors within families. Women's health is a cornerstone of public health. A woman's physical, mental, and reproductive health directly influences the health of her children and family members. One of the most prevalent hormonal disorders facing women of reproductive years is PCOS, a major threat to wellness among females. Polycystic ovary syndrome (PCOS) is a common clinical condition in which ovaries produce anomalous amount of androgens (male hormones) in the body. In PCOS, a constant hormonal imbalance impairs ovary function and is responsible for cysts formation in ovaries, which further lead to irregular menses that may cause infertility. Polycystic Ovary Syndrome (PCOS) is a common hormonal disorder affecting women of reproductive age. Hyperandrogenism, polycystic ovaries, chronic anovulation, and metabolic aberrations are the common features in PCOS (yang 2024). In PCOS, a continual hormonal inequity weakens ovary function and is

This is an open access article licensed under https://creativecommons.org/licenses/by-nc-nd/4.0

accountable for cysts development in ovaries, which additional lead to irregular menses that may cause infertility. Chronic low-grade inflammation is one of the features of PCOS. Beyond its physical symptoms, PCOS profoundly impacts women's mental health and quality of life (Deepika Dewani 2023)

A great attention is also being paid to the problem of mental health in this group of patients (Karolina 2023). Beyond physiological manifestations, PCOS is associated with anxiety, depression, eating disorders, psychosexual dysfunction and negative body image, collectively contributing to diminished health-related quality of life in patients (Elisabet Stener-Victorin 2024).

Clinical characteristics encompass reproductive, metabolic, and psychologic features making the diagnosis and management challenging (Vaðuka *et.al.* 2024).

Collectively, lifestyle modifications not only improve the biochemical, hormonal, and anthropometric parameters in PCOS patients but also reduce the long-term risks of metabolic and cardiovascular diseases. Rohit Gautam 2025 Lifestyle intervention may improve the free androgen index (FAI), weight and BMI in women with PCOS (Siew S Lim 2019).

Appropriate diet, physical activity - lifestyle changes are crucial in the treatment of PCOS. Supplementation and pharmaceuticals support treatment. It is mandatory to examine these environmental and lifestyle factors as they not only contribute to the occurrence of the disease but also influence its progression. (Natalia Anna Stańczak 2024).

While the precise basis remains unidentified, it's clear that lifestyle factors play a noteworthy role in both the progress and supervision of this multifaceted disorder. Approval a complete tactic that arranges healthy habits can pointedly improve symptoms, progress overall well-being, and condense the risk of long-term health difficulties accompanying with PCOS.

Dietary Regulation and Its Influence on PCOS Outcomes

Nutrition is a keystone of PCOS management. Several women with PCOS practice insulin resistance, a state where the body's cells don't respond efficiently to insulin, leading to elevated blood sugar levels and increased androgen (male hormone) production. This hormonal imbalance can aggravate PCOS symptoms like irregular periods, acne, and hirsutism. A customized, holistic diet regime is the best treatment for women with PCOS to make them feel well and live a long and healthy life (Saeed *et.al*.2025).

A properly balanced reduction diet with reduced GI improves the supply of vitamins in women with PCOS (Małgorzata Szczuko, 2021). increased consumption of either proteins or low-glycemic index carbohydrates to improve ovulatory disorders and female fertility. In studies concerning infertile women undergoing assisted reproduction, either structured exercise sessions and dietary intervention programs seem to be effective in improving menstrual cycles and fertility as demonstrated by the increased rate of natural conceptions (Gabriella Garruti 2019). Obesity in women with PCOS could not be explained by overeating or inactivity. Increasing dietary fiber and magnesium intakes may assist in reducing IR and hyperandrogenemia in women with PCOS (Dylan A Cutler 2019).

A well-balanced diet converging on whole, natural foods can help normalize blood sugar levels and improve insulin sensitivity. This embraces:

- Prioritizing Low Glycemic Index (GI) Carbohydrates: Women with PCOS at high risk of atherosclerosis consumed less low glycaemic index foods than women with a low risk of atherosclerosis. (Aleksandra Bykowska-Derda, 2023). Intake of high-fibre, low glycaemic index foods could prevent atherosclerosis in women with PCOS. These foods, such as whole grains, millets, legumes, fruits, and non-starchy vegetables, are absorbed slowly, leading to a plodding rise in blood sugar and foiling insulin spikes.
- Including Lean Protein: Protein sources like poultry, fish, beans, lentils, and tofu help promote satiety, stabilize blood sugar, and support muscle mass.

- Consuming Healthy Fats: Sources of monounsaturated and polyunsaturated fats, such as nuts, seeds, and olive oil, can improve insulin sensitivity and reduce inflammation. Omega-3 fatty acids found in fatty fish (salmon, mackerel) and flaxseeds are principally helpful. The effect of body fat on sex-hormone disorders is only exist in women with PCOS.(Haolin Zhang, 2023). In fact, regardless of age and BMI, women with PCOS have more adipose tissue and less lean mass than healthy women. Excessive adiposity, especially visceral adiposity, is capable of affecting female reproduction through direct mechanisms compromising the luteal phase, and indirect mechanisms as metabolic alterations able to affect the function of the H-P-O axis (Maria Serena 2024).
- Inclusion of antioxidants: Curcumin administration in PCOS resulted in significant improvement in glycaemic parameters (Luis E Simental-Mendía 2022). There is preparatory evidence of the effectiveness of antioxidant interventions in ameliorating some of the PCOS complications, including metabolic and hormonal disorders. Roghaye Gharaei 2021. Clinical trial results showed that increased high-density lipoprotein and insulin sensitivity were increased by the cinnamon supplementation while low-density lipoprotein, triglyceride, and blood glucose were decreased in patients with PCOS. Overall, the effects of cinnamon on the improvement of metabolic status in PCOS were promising. (Vahid Maleki 2021).
- Study sheds light on the elaborate exchanges among plasma metabolites, proteins, and PCOS, considering BMI variations, and highlights KRT19 protein as a promising therapeutic target. The outcomes provision the incorporation of retinol consumption into dietary approaches to normalize testosterone levels and possibly improve PCOS symptoms, highlighting the necessity for tailored nutritional and therapeutic approaches in the operative management of PCOS. (Peng Chen 2024).
- Limiting Processed Foods, Sugary Drinks, and Refined Carbohydrates: The consumption of such food products can cause speedy blood sugar spikes and subsidize to insulin resistance and weight gain. High sucrose diet ingestion leads to ovarian dysfunction in rats and could be correlated with PCOS in women, suggesting these alterations could lead to public health issues. Therefore, we reinforce the deleterious impact of HSD to the ovarian system and suggest that the reduction of added sugars intake could be beneficial to ovarian health. Giuliane (Barros de Melo, 2021).
- Small, frequent meals and snacks can also help stabilize blood sugar levels during the day. Paying attention to portion sizes and practicing mindful eating can further support healthy weight management, which is often a challenge for individuals with PCOS. Even a modest weight loss of 5-10% can significantly improve PCOS symptoms and reduce the risk of associated health issues. (Giuliane Barros de Melo, 2021)

Exercise as a Lifestyle Intervention in PCOS Management

Physical activity is another vital component of a PCOS-friendly lifestyle. Physical activity, like aerobic and resistance exercise, enhances insulin sensitivity, helps weight loss, and improves metabolic and reproductive outcomes in women with PCOS (Rohit Gautam 2025). Regular exercise offers numerous benefits, including:

- Improving Insulin Sensitivity: Exercise helps the body use insulin more effectively, which can lower blood sugar levels and reduce the need for the pancreas to produce excessive insulin. The etiology and pathophysiology of PCOS are not yet fully understood, but insulin seems to play a key role in this disease.(M Di Lorenzo, 2023)
- Aiding Weight Management: Burning calories through physical activity can help with weight loss or maintaining a healthy weight, which in turn can improve hormonal balance. A minor weight loss of 5%-10% can significantly reduce reproductive, metabolic and psychological symptoms of PCOS and is recommended as a first step in the treatment of overweight or obese women with PCOS (Sharon Lie Fong 2021).

- Reducing Androgen Levels: Some studies suggest that regular exercise can help lower the production of androgens, potentially alleviating symptoms like hirsutism and acne. Recommended guidelines for women with PCOS include vigorous aerobic exercise and resistance training to improve measures of insulin sensitivity and androgen levels. (Grei Shele 2020).
- Boosting Mood and Reducing Stress: Exercise releases endorphins, which have mood-boosting effects and can help manage the anxiety and depression sometimes associated with PCOS.
- Improving Cardiovascular Health: Women with PCOS have an increased risk of heart disease, and regular exercise can help improve cholesterol levels and lower blood pressure.

A combination of cardiovascular exercises (like brisk walking, jogging, swimming, or cycling) and strength training is often recommended. Aiming for at least 150 minutes of moderate-intensity or 75 minutes of vigorous-intensity aerobic activity per week, along with muscle-strengthening activities at least two days a week, can be beneficial. Finding enjoyable activities and incorporating movement into daily life, even though simple things like taking the stairs or walking during lunch breaks, can make exercise a sustainable habit.

Stress Reduction and Sleep Optimization in PCOS Management

Chronic stress can disrupt hormonal balance and exacerbate PCOS symptoms. Hirsutism may have a negative impact on the quality of life and on the mental health, being associated with anxiety and depression (Talita Fischer 2024).The body releases cortisol, a stress hormone, which can interfere with other hormones, including those involved in the menstrual cycle and insulin regulation. Cognitive behavioural therapy interventions for sleep are a successful strategy for the management of sleep disturbances in the general population. However, such interventions are yet to be trialled in women with PCOS (Peiseah Teo, 2022). Implementing stress management techniques is crucial for overall well-being and PCOS management. These can include:

- Mindfulness and Meditation: Practices that focus on the present moment can help reduce stress and anxiety.
- Yoga and Tai Chi: These mind-body exercises can promote relaxation, improve flexibility, and reduce stress hormone levels.
- Adequate Sleep: Aiming for 7-9 hours of quality sleep each night is essential for hormonal regulation and stress management. Establishing a relaxing bedtime routine and creating a comfortable sleep environment can improve sleep quality.
- Time Management and Setting Boundaries: Organizing tasks, prioritizing responsibilities, and learning to say no can reduce feelings of overwhelm and stress.
- Engaging in Hobbies and Social Support: Making time for enjoyable activities and connecting with loved ones can provide emotional support and reduce stress levels.

Digital Health Technology in PCOS:

Traditional healthcare structures habitually face encounters in providing long-term, tailored care for PCOS patients. Digital health machineries offer advanced resolutions by aiding distant monitoring, custom-made intrusions, and enhanced patient assignation.

Digital health discusses to the use of evidence and communication technologies (ICT) to support healthcare conveyance, disease management, and health advancement.

Major components of digital health include:

- Mobile health (mHealth)
- Telemedicine and telehealth
- Wearable devices
- Artificial intelligence (AI)

- Electronic health records (EHR)
- Digital therapeutics
- Health information platforms

These technologies empower patients to track symptoms, accomplish medications, monitor lifestyle behaviours, and communicate with healthcare providers remotely.

Mobile Health (mHealth) Applications in PCOS Management

Mobile health applications are among the most extensively used digital wellbeing tools for chronic disease supervision. Common features include:

- Menstrual cycle tracking
- Diet monitoring
- Physical activity tracking
- Medication reminders
- Mood and symptom monitoring
- Fertility tracking

mHealth applications allow patients to energetically participate in their disease management. Studies has shown that mobile health interventions can pointedly improve weight control and treatment outcomes in PCOS patients undergoing fertility treatment.

Another randomized controlled trial demonstrated that a digital lifestyle intervention delivered through a social media platform improved metabolic and reproductive outcomes in women with PCOS (Diliqingna *et.al.* 2024).

Digital Therapeutics and Lifestyle Management

Digital therapeutics are evidence-based digital interventions designed to prevent, manage, or treat diseases. For PCOS, digital therapeutics focus on:

- Lifestyle behaviour modification
- Diet personalization
- Exercise coaching
- Mental health support

A meta-analysis of randomized controlled trials found that digital health interventions significantly improved treatment compliance, quality of life, BMI, and mental health outcomes in PCOS patients (Min Xi *et.al.* 2025). These interventions were also associated with reductions in anxiety, depression, waist circumference, and testosterone levels.

Digital Twin Technology in PCOS

Digital alike technology epitomizes a pioneering discovery in digital health. It uses AI and real-time data to generate a computer-generated prototypical of an individual's metabolic system.

Using digital twin platforms, scholars have verified significant progresses in metabolic well-being among PCOS patients, including reductions in:

- Body weight
- Insulin resistance
- Blood pressure
- Visceral fat accumulation

This technology empowers highly adapted treatment approaches based on distinct metabolic responses.

Digital Mental Health Support for PCOS

Mental health conditions such as depression and anxiety are mutual midst females with PCOS.
Digital mental health platforms offer:

- Cognitive behavioural therapy (CBT)
- Online peer support groups
- Mindfulness training
- Stress management programs

Digital counselling stages can recover emotional well-being and quality of life for PCOS patients.

Electronic Health Records and Big Data in PCOS Research

Electronic health records (EHR) are valuable tools for studying PCOS epidemiology and clinical outcomes.
Large healthcare records allow researchers to:

- Improve diagnostic accuracy
- Study treatment outcomes
- Develop predictive risk models
- Identify prevalence trends

EHR-based studies also facilitate population-level analysis of PCOS and associated metabolic disorders.

Challenges and Limitations of Digital Health in PCOS

Despite its potential benefits, digital health also faces several challenges:

- **Data Privacy and Security**
  Digital health platforms collect delicate individual and health information, floating alarms about confidentiality and cybersecurity.
- **Digital Literacy**
  Partial technological literacy between some people may curb the approval of digital health tools.
- **Accessibility and Cost**
  Not all patients have access to smartphones, internet connectivity, or wearable devices.
- **Personalization Limitations**
  Many existing apps deliver generic endorsements rather than tailored involvements.

Future Directions in Digital PCOS Management

Future developments in digital health for PCOS may include:

- AI-driven personalized nutrition arrangements
- Virtual authenticity–based stress management programs
- Smart wearable technologies for hormonal monitoring
- Cohesive PCOS supervision platforms
- Digital twin models for individualized treatment planning

Integration of digital health technologies with traditional healthcare systems could significantly improve long-term PCOS management.

Conclusion

Living with PCOS requires a multifaceted approach, and lifestyle amendments are a foundation of effective management. By adopting a balanced diet, engaging in consistent physical activity, prioritizing stress management, and ensuring acceptable sleep, individuals with PCOS can significantly improve their symptoms, improve their quality of life, and reduce their risk of long-term health complications. Digital health technologies are converting the management of enduring diseases, including PCOS. Mobile applications, telemedicine platforms, AI-driven diagnostics, and abiliment devices have proved noteworthy latent in enlightening treatment observance, lifestyle alteration, metabolic health, and mental well-being among women with PCOS.

References

1. Atiomo W, et al. 2024. Prevalence and diagnosis of PCOS using electronic health records. *Journal of Clinical Endocrinology and Metabolism.*
2. Bykowska-Derda A, Kałużna M, Garbacz A, Ziemnicka K, Ruchała M, Czlapka-Matyasik M. 2023. Intake of low glycaemic index foods and atherosclerosis risk in women with PCOS. *Life (Basel).* 13(3):799. https://doi.org/10.3390/life13030799
3. Chen P, Ni S, Liu QF, Ou-Yang L. 2024. Retinol intake and PCOS management: Plasma metabolite analysis via Mendelian randomization. *Frontiers in Nutrition.* 11:1434648. https://doi.org/10.3389/fnut.2024.1434648
4. Cutler DA, Pride SM, Cheung AP. 2019. Low intake of dietary fiber and magnesium associated with insulin resistance in PCOS. *Food Science & Nutrition.* 7(4):1426-1437. https://doi.org/10.1002/fsn3.977
5. Dewani D, Karwade P, Mahajan KS. 2023. The invisible struggle: The psychosocial aspects of polycystic ovary syndrome. *Cureus.* 15(12):e51321. https://doi.org/10.7759/cureus.51321
6. Di Lorenzo M, Cacciapuoti N, Lonardo MS, Nasti G, Gautiero C, Belfiore A, Guida B, Chiurazzi M. 2023. Pathophysiology and nutritional approaches in polycystic ovary syndrome: A comprehensive review. *Current Nutrition Reports.* 12(3):527-544. https://doi.org/10.1007/s13668-023-00479-8
7. Fong SL, Douma A, Verhaeghe J. 2021. Implementing evidence-based guidelines for weight loss in overweight women with PCOS. *Journal of Gynecology Obstetrics and Human Reproduction.* 50(6):101894. https://doi.org/10.1016/j.jogoh.2020.101894
8. Gabrielski A, Daniels SL, Frey K, Land A. 2024. Best practices for identifying and supporting patients who present with PCOS. *Nursing Clinics of North America.* 59(4):563-575. https://doi.org/10.1016/j.cnur.2024.08.007
9. Garruti G, Depalo R, De Angelis M. 2019. Weighing the impact of diet and lifestyle on female reproductive function. *Current Medicinal Chemistry.* 26(19):3584-3592. https://doi.org/10.2174/0929867324666170518101008
10. Gautam R, Maan P, Jyoti A, Kumar A, Malhotra N, Arora T. 2025. The role of lifestyle interventions in PCOS management: A systematic review. *Nutrients.* 17(2):310. https://doi.org/10.3390/nu17020310
11. Gharaei R, Mahdavinezhad F, Samadian E, Asadi J, Ashrafnezhad Z, Kashani L, Amidi F. 2021. Antioxidant supplementation ameliorates PCOS complications: Review of randomized controlled trials. *Journal of Assisted Reproduction and Genetics.* 38(11):2817-2831. https://doi.org/10.1007/s10815-021-02342-7
12. Jakubowska-Kowal K, Skrzyńska K, Gawlik-Starzyk A. 2024. Treatment and complications of PCOS in adolescents – What's new in 2023? *Frontiers in Endocrinology.* 15:1436952. https://doi.org/10.3389/fendo.2024.1436952
13. Kumari D, Kumar M, Upadhyay AD, Malhotra N, Mahey R, Dadhwal V, Sehgal T, Mishra R, Dada R. 2025. Therapeutic potential of yoga in mitigating oxidative stress in PCOS: A randomized controlled trial.

14. Li X, et al. 2024. WeChat-based digital intervention versus metformin in women with polycystic ovary syndrome: Randomized controlled trial. *Journal of Medical Internet Research.* 26:e55883. https://doi.org/10.2196/55883
15. Lim SS, Hutchison SK, Van Ryswyk E, Norman RJ, Teede HJ, Moran LJ. 2019. Lifestyle changes in women with polycystic ovary syndrome. *Cochrane Database of Systematic Reviews.* 3:CD007506. https://doi.org/10.1002/14651858.CD007506.pub4
16. Lonardo MS, Cacciapuoti N, Guida B, Di Lorenzo M, Chiurazzi M, Damiano S, Menale C. 2024. Hypothalamic-ovarian axis and adiposity relationship in PCOS. *Current Obesity Reports.* 13(1):51-70. https://doi.org/10.1007/s13679-023-00531-2
17. Maleki V, Faghfouri AH, Tabrizi FPFT, Moludi J, Saleh-Ghadimi S, Jafari-Vayghan H, Qaisar SA. 2021. Mechanistic and therapeutic insight into the effects of cinnamon in polycystic ovary syndrome: A systematic review. *Journal of Ovarian Research.* 14(1):130. https://doi.org/10.1186/s13048-021-00870-5
18. Melo GB, Soares JF, Costa TCL, Benevides ROA, Vale CC, Paes AMA, Gaspar RS. 2021. Early exposure to high-sucrose diet leads to deteriorated ovarian health. *Frontiers in Endocrinology.* 12:656831. https://doi.org/10.3389/fendo.2021.656831
19. Oliveira TF, Comim FV. 2024. Understanding hirsutism in PCOS. *Expert Review of Endocrinology and Metabolism.* 19(2):103-110. https://doi.org/10.1080/17446651.2024.2310558
20. Saeed AAM, Noreen S, Awlqadr FH, Farooq MI, Qadeer M, Rai N, Farag HA, Saeed MN. 2025. Nutritional and herbal interventions for polycystic ovary syndrome: A comprehensive review. *Journal of Health, Population and Nutrition.* 44:143. https://doi.org/10.1186/s41043-025-00899-y
21. Shamanna P, et al. 2024. Digital twin technology in resolving PCOS and improving metabolic health. *Frontiers in Endocrinology.*
22. Shamanna P, et al. 2024. Personalized AI-based metabolic intervention for PCOS. *Frontiers in Endocrinology.*
23. Simental-Mendía LE, Shah N, Sathyapalan T, Majeed M, Orekhov AN, Jamialahmadi T, Sahebkar A. 2022. Effect of curcumin on glycaemic and lipid parameters in polycystic ovary syndrome: A systematic review and meta-analysis of randomized controlled trials. *Reproductive Sciences.* 29(11):3124-3133. https://doi.org/10.1007/s43032-021-00761-6
24. Stańczak NA, Grywalska E, Dudzińska E, Shele G. 2024. Latest reports and treatment methods on polycystic ovary syndrome. *Annals of Medicine.* 56(1):2357737. https://doi.org/10.1080/07853890.2024.2357737
25. Szczuko M, Szydłowska I, Nawrocka-Rutkowska J. 2021. A properly balanced reduction diet and supplementation in patients with PCOS. *Nutrients.* 13(3):746. https://doi.org/10.3390/nu13030746
26. Teo P, Henry BA, Moran LJ, Cowan S, Bennett C. 2022. The role of sleep in PCOS: What we know and what to consider in the future. *Expert Review of Endocrinology and Metabolism.* 17(4):305-318. https://doi.org/10.1080/17446651.2022.2082941
27. Vishnubhotla DS, Tenali SN, Fernandez M, Madireddi S. 2022. Evaluation of prevalence of PCOS and associated depression, nutrition and family history. *Indian Journal of Endocrinology and Metabolism.* https://doi.org/10.4103/ijem.ijem_467_21
28. Wang J, et al. 2022. Mobile health interventions for overweight PCOS patients undergoing assisted reproductive technology. *Journal of Assisted Reproduction and Genetics.*
29. Xie M, et al. 2025. Digital health interventions and lifestyle outcomes in PCOS. *Journal of Health, Population and Nutrition.*
30. Xie M, Qing X, Huang H, Xie B, Zhang J. 2025. The clinical efficacy of digital health interventions in patients with polycystic ovary syndrome: A systematic review and meta-analysis. *Journal of Health, Population and Nutrition.* 44(1):433.
31. Xie M, Qing X, Huang H, Xie B, Zhang J. 2025. The clinical efficacy of digital health interventions in patients with polycystic ovary syndrome: A systematic review and meta-analysis. *Journal of Health, Population and Nutrition.* 44(1):433. https://doi.org/10.1186/s41043-025-01167-9
32. Zhang H, Wang W, Zhao J, Jiao P, Zeng L, Zhang H, Zhao Y, Shi L, Hu H, Luo L, Fukuzawa I, Li D, Li R, Qiao J. 2023. Relationship between body composition, insulin resistance, and hormonal profiles in women with PCOS. *Frontiers in Endocrinology.* 13:1085656. https://doi.org/10.3389/fendo.2022.1085656
33. Zhang Y, et al. 2025. Telehealth-based nutrition interventions for PCOS. *Journal of Medical Internet Research.*